

| Product & Ingredient | Dosage | Features | Reference |
|--|---|---|---|
| <p>Clinical Nutrients™ for Male Teens multivitamin 70112 – 120 tablets</p> <p>Vitamin A (88% beta carotene) Vitamin C Calcium Zinc Sarsaparilla</p> | <p>Take four tablets daily. Can be taken as one or two tablets with each meal. Four tablets provide:</p> <p>17,500 IU 300 mg 400 mg 30 mg 60 mg</p> | <p>Daily multiple formula for male teens</p> <ul style="list-style-type: none"> • Features 33 vitamins, minerals, and herbs to support nutritional needs of adolescent males*¹⁻⁴ • Vitamin A supports clear skin, fights free radicals, and healthy immune system function*⁴ • Sarsaparilla plays an important role in skin health*⁴ • Zinc contributes to the immune system and sex glands*³ | <ol style="list-style-type: none"> 1. Reifen R. Vitamin A as an anti-inflammatory agent. <i>Proc Nutr Soc.</i> 2002 Aug;61(3):397-400. 2. Vatanparast H, et al. Calcium supplementation trials and bone mass development in children, adolescents, and young adults. <i>Nutr Rev.</i> 2006 Apr;64(4):204-9. 3. Rink L, et al. Zinc and the immune system. <i>Proc Nutr Soc.</i> 2000 Nov;59(4):541-52. 4. Dattner AM. From medical herbalism to phytotherapy in dermatology: back to the future. <i>Dermatol Ther.</i> 2003;16(2):106-13. |
| <p>Eskimo-3® fish oil 72190 – 105 ml 72297 – 105 softgels Eskimo® PurEFA™ 1000mg fish oil 72622 - 150 softgels</p> <p>Omega-3 Fatty Acids 14-18% EPA** 8.3-11.7% DHA** Pharmaceutical grade High purity Naturally stable</p> <p>**EPA=eicosapentaenoic acid **DHA=docosahexaenoic acid</p> <p><i>Eskimo-3® is a registered trademark of Cardinova Aktiebolag.</i></p> | <p>Take up to 5 g daily with meals in the form of:</p> <ul style="list-style-type: none"> – 3 original softgels (1.5 g) 3 times daily – 1 teaspoon liquid (5 mL) – 5 PurEFA softgels (5 g) <p>Each daily serving contains 1.5 – 5 g fish oil and provides: 210-900 mg EPA 125-580 mg DHA</p> | <p>Essential Fatty Acid Support</p> <ul style="list-style-type: none"> • EPA is a precursor for the formation of prostaglandins that have beneficial effects on the liver, immune, and cardiovascular system*¹⁻³ • Supports cardiovascular function, skin, and joint health*³ • DHA supports the development and maintenance of neural structures such as the retina and brain* • Also associated with improved mood*⁴ | <ol style="list-style-type: none"> 1. Haglund O, et al. Effects of a new fluid fish oil concentrate, Eskimo-3, on triglycerides, cholesterol, fibrinogen and blood pressure. <i>J Int Med.</i> 1990;227:347-353. † 2. Simopoulos AP. Omega-3 fatty acids in inflammation and autoimmune diseases. <i>J Am Coll Nutr.</i> 2002 Dec;21(6):495-505. 3. Khan F, et al. The effects of dietary fatty acid supplementation on endothelial function and vascular tone in healthy subjects. <i>Cardiovasc Res.</i> 2003 Oct 1;59(4):955-62. 4. Mischoulon D, et al. Docosahexanoic acid and omega-3 fatty acids in depression. <i>Psychiatr Clin North Am.</i> 2000 Dec;23(4):785-94. |
| <p>Probiotic Pearls™ active cultures 136001 – 30 pearls 136002 – 90 pearls</p> <p>Stable, Gastric-Protected Probiotic blend of: <i>Lactobacillus acidophilus</i> and <i>Bifidobacterium longum</i></p> | <p>Take one Pearl capsule daily, with water or your favorite beverage. May be taken with or without food. Do not chew or crush. Each Pearl capsule provides: 1 billion CFU</p> | <p>Digestive Support*</p> <ul style="list-style-type: none"> • Supports a healthy intestinal system*¹ • Patented “True Delivery” system protects microflora from shelf conditions like air and light | <ol style="list-style-type: none"> 1. Ouweland AC. Probiotics: an overview of beneficial effects. <i>Antonie Van Leeuwenhoek.</i> 2002 Aug;82(1-4):279-89. |

| Product & Ingredient | Dosage | Features | Reference |
|----------------------|--------|----------|-----------|
|----------------------|--------|----------|-----------|

| ADDITIONAL CONSIDERATIONS FOR HEALTHY SKIN* | | | |
|--|---|---|--|
| Biotin Forte® 216010 – 60 tablets Biotin | Take 1 tablet daily. Each tablet contains: 5 mg | Additional Skin Support* <ul style="list-style-type: none"> Plays an important role in maintaining healthy hair, skin and muscle tissue*¹ | 1. Fritsche A, et al. Pharmacologic effects of biotin on epidermal cells . <i>Schweiz Arch Tierheilkd.</i> 1991;133(6):277-83. |
| Nature Derm Skin Care System® Supplement* 11059 – 90 capsules Vitamin A Zinc Sulfur Bromelain (2,400G.D.U./g) | Take two capsules daily. Two capsules contain: 10,000 IU 30 mg 200 mg 66.7 mg | Additional Skin Support* <ul style="list-style-type: none"> Promotes healthy skin and reduces occasional acne*^{1,2} | 1. Michaelsson G, et al. Effects of oral zinc and vitamin A in acne. <i>Arch Dermatol.</i> 1977 Jan;113(1):31-6. 2. Gupta AK, et al. The use of sulfur in dermatology. <i>J Drugs Dermatol.</i> 2004 Jul-Aug;3(4):427-31. |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Protocols

www.itiprotocols.integrativeinc.com

| Product & Ingredient | Dosage | Features | Reference |
|--|---|---|--|
| <p>Clinical Nutrients™ for Men multivitamin 70049 – 90 tablets</p> <p>Vitamin A Muir Puama Panax Ginseng (<i>Ptychopetalum olacoides</i>) Lycopene</p> | <p>Take three tablets daily. Can be taken as one tablet with each meal. Three tablets contain: 10,000 IU 30 mg 15 mg 2 mg</p> | <p>Basic Energy and Nutritional Support*</p> <ul style="list-style-type: none"> Provides essential nutrients for masculine functions* Saw Palmetto supports prostate health* Muir puama improves libido and sexual function*¹ Ginseng supports healthy testosterone levels*² Lycopene supports prostate health | <ol style="list-style-type: none"> da Silva AL, et al. Anxiogenic properties of <i>Ptychopetalum olacoides</i> Benth. (Marapuama). <i>Phytother Res.</i> 2002 May;16(3):223-6. Salvati G, et al. Effects of Panax Ginseng C.A. Meyer saponins on male fertility. <i>Panminerva Med.</i> 1996 Dec;38(4):249-54. |
| <p>Eskimo-3® fish oil 72190 – 105 ml 72297 – 105 softgels Eskimo® PurEFA™ 1000mg fish oil 72622 - 150 softgels</p> <p>Omega-3 Fatty Acids 14-18% EPA** 8.3-11.7% DHA** Pharmaceutical grade High purity Naturally stable</p> <p>**EPA=eicosapentaenoic acid **DHA=docosahexaenoic acid</p> <p><i>Eskimo-3® is a registered trademark of Cardinova Aktiebolag.</i></p> | <p>Take up to 5 g daily with meals in the form of: – 3 original softgels (1.5 g) 3 times daily – 1 teaspoon liquid (5 mL) – 5 PurEFA softgels (5 g)</p> <p>Each daily serving contains 1.5 – 5 g fish oil and provides: 210-900 mg EPA 125-580 mg DHA</p> | <p>Essential Fatty Acid Support</p> <ul style="list-style-type: none"> EPA is a precursor for the formation of prostaglandins that have beneficial effects on the liver, immune, and cardiovascular system*^{1,2} | <ol style="list-style-type: none"> Haglund O, et al. Effects of a new fluid fish oil concentrate, Eskimo-3, on triglycerides, cholesterol, fibrinogen and blood pressure. <i>J Int Med.</i> 1990;227:347-353. Simopoulos AP. Omega-3 fatty acids in inflammation and autoimmune diseases. <i>J Am Coll Nutr.</i> 2002 Dec;21(6):495-505. |
| <p>Probiotic Pearls™ active cultures 136001 – 30 pearls 136002 – 90 pearls</p> <p>Stable, Gastric-Protected Probiotic blend of: <i>Lactobacillus acidophilus</i> and <i>Bifidobacterium longum</i></p> | <p>Take one Pearl capsule daily, with water or your favorite beverage. May be taken with or without food. Do not chew or crush. Each Pearl capsule provides: 1 billion CFU</p> | <p>Digestive Support*</p> <ul style="list-style-type: none"> Supports a healthy intestinal system*¹ Patented “True Delivery” system protects microflora from shelf conditions like air and light | <ol style="list-style-type: none"> Ouweland AC. Probiotics: an overview of beneficial effects. <i>Antonie Van Leeuwenhoek.</i> 2002 Aug;82(1-4):279-89. |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

| Product & Ingredient | Dosage | Features | Reference |
|--|--|--|--|
| ADDITIONAL CONSIDERATIONS | | | |
| Pros-Forte™ 276006 – 60 tablets Zinc Saw Palmetto (<i>Serenoa repens</i>) Pumpkin (<i>Cucurbita pepo</i>) Pygeum (<i>Pygeum african</i>) Stinging Nettle (<i>Urtica dioica</i>) Lycopene | Take 1 tablet twice daily. One tablet contains: 15 mg 160 mg 100 mg 50 mg 50 mg 1 mg | Additional Prostate Support* <ul style="list-style-type: none"> Provides nutritional support for healthy prostate function*¹⁻⁸ | <ol style="list-style-type: none"> Costello LC, et al. The clinical relevance of the metabolism of prostate cancer; zinc and tumor suppression: connecting the dots. <i>Mol Cancer</i>. 2006 May 15;5(1):17. Goldmann WH, et al. Saw palmetto berry extract inhibits cell growth and Cox-2 expression in prostatic cancer cells. <i>Cell Biol Int</i>. 2001;25(11):1117-24. Zhang X, et al. Effect of the extracts of pumpkin seeds on the urodynamics of rabbits: an experimental study. <i>J Tongji Med Univ</i>. 1994;14(4):235-8. Barlet A, et al. Efficacy of Pygeum africanum extract in the medical therapy of urination disorders due to benign prostatic hyperplasia: evaluation of objective and subjective parameters. A placebo-controlled double-blind multicenter study. <i>Wien Klin Wochenschr</i>. 1990 Nov 23;102(22):667-73. Ishani A, et al. Pygeum africanum for the treatment of patients with benign prostatic hyperplasia: a systematic review and quantitative meta-analysis. <i>Am J Med</i>. 2000 Dec 1;109(8):654-64. Safarinejad MR. Urtica dioica for Treatment of Benign Prostatic HyperplasiaA Prospective, Randomized, Double-Blind, Placebo-Controlled, Crossover Study. <i>J Herb Pharmacother</i>. 2005;5(4):1-11. Kucuk O, et al. Phase II randomized clinical trial of lycopene supplementation before radical prostatectomy. <i>Cancer Epidemiol Biomarkers Prev</i>. 2001;10:861-868. |
| ProstaPro® 78362 – 120 softgels Saw Palmetto (85-95% fatty acids, 0.2- 0.4% total sterols, and 0.1- .3% beta sitosterol) | Take two softgels daily. Each softgel contains: 160 mg | Prostate Support Alternative* | "Refer to saw palmetto reference above" |

Protocols

| Product & Ingredient | Dosage | Features | Reference |
|--|---|--|--|
| <p>Clinical Nutrients™ for 50-Plus Men multivitamin 70092 - 120 tablets</p> <p>Vitamin C Vitamin E Zinc Saw Palmetto (<i>Serenoa repens</i>) Black Tea (<i>Camellia sinensis</i>) Green Tea (<i>Camellia sinensis</i>) Panax ginseng Bromelain (2,400 GDU/g) Papain Pepsin Lipase</p> | <p>Take four tablets daily. Can be taken as one or two tablets with each meal. Four tablets contain:</p> <p>300 mg 200 IU 30 mg 80 mg 50 mg 30 mg 15 mg 5 mg 15 mg 5 mg 5 mg</p> | <p>Basic Energy and Nutritional Support¹⁻⁵</p> <ul style="list-style-type: none"> Digestive enzyme production diminishes with age* Supplemental digestive enzymes supports healthy digestion and assimilation of nutrients^{*1,2} Saw Palmetto berry supports healthy prostate function* Zinc is important for the male sex glands* Pantothenic acid, a vital nutrient for the adrenal glands, contributes to the synthesis of sterols and hormones* Korean ginseng root traditionally used to support masculine functions* | <ol style="list-style-type: none"> Nakamura T, et al. Pancreatic dysfunction and treatment options. <i>Pancreas</i>. 1998;16(3):329-336. Zorn J. Experiences with substitution therapy using a new pancreatic enzyme of plant origin. <i>Fortschr Med</i>. 1978 Oct 12;96(38):1941-3. Fairfield KM, et al. Vitamins for chronic disease prevention in adults: scientific review. <i>JAMA</i>. 2002 Jun 19;287(23):3116-26. Vinson JA, et al. Green and black teas inhibit atherosclerosis by lipid, antioxidant, and fibrinolytic mechanisms. <i>J Agric Food Chem</i>. 2004 Jun 2;52(11):3661-5. Salvati G, et al. Effects of Panax Ginseng C.A. Meyer saponins on male fertility. <i>Panminerva Med</i>. 1996 Dec;38(4):249-54. |
| <p>Eskimo-3® fish oil 72190 - 105 ml 72297 - 105 softgels Eskimo® PurEFA™ 1000mg fish oil 72622 - 150 softgels</p> <p>Omega-3 Fatty Acids 14-18% EPA** 8.3-11.7% DHA** Pharmaceutical grade High purity Naturally stable</p> <p>**EPA=eicosapentaenoic acid **DHA=docosahexaenoic acid</p> <p><i>Eskimo-3® is a registered trademark of Cardinova Aktiebolag.</i></p> | <p>Take up to 5 g daily with meals in the form of:</p> <ul style="list-style-type: none"> 3 original softgels (1.5 g) 3 times daily 1 teaspoon liquid (5 mL) 5 PurEFA softgels (5 g) <p>Each daily serving contains 1.5 – 5 g fish oil and provides: 210-900 mg EPA 125-580 mg DHA</p> | <p>Essential Fatty Acid Support*</p> <ul style="list-style-type: none"> EPA is a precursor for the formation of prostaglandins that have beneficial effects on the liver, immune, and cardiovascular system^{*1,2} | <ol style="list-style-type: none"> Haglund O, et al. Effects of a new fluid fish oil concentrate, Eskimo-3, on triglycerides, cholesterol, fibrinogen and blood pressure. <i>J Int Med</i>. 1990;227:347-353.† Simopoulos AP. Omega-3 fatty acids in inflammation and autoimmune diseases. <i>J Am Coll Nutr</i>. 2002 Dec;21(6):495-505. |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Protocols

| Product & Ingredient | Dosage | Features | Reference |
|---|--|---|--|
| <p>Probiotic Pearls™ active cultures 136001 – 30 pearls 136002 – 90 pearls</p> <p>Stable, Gastric-Protected Probiotic blend of: <i>Lactobacillus acidophilus</i> and <i>Bifidobacterium longum</i></p> | <p>Take one Pearl capsule daily, with water or your favorite beverage. May be taken with or without food. Do not chew or crush. Each Pearl capsule provides: 1 billion CFU</p> | <p>Digestive Support*</p> <ul style="list-style-type: none"> • Supports a healthy intestinal system*¹ • Patented “True Delivery” system protects microflora form shelf conditions like air and light | <p>1. Ouweland AC. Probiotics: an overview of beneficial effects. <i>Antonie Van Leeuwenhoek</i>. 2002 Aug;82(1-4):279-89.</p> |
| ADDITIONAL CONSIDERATIONS | | | |
| <p>Pros-Forte™ 276006 – 60 tablets</p> <p>Zinc Saw Palmetto (<i>Serenoa repens</i>) Pumpkin (<i>Cucurbita pepo</i>) Pygeum (<i>Pygeum africanum</i>) Stinging Nettle (<i>Urtica dioica</i>) Lycopene</p> | <p>Take 1 tablet twice daily. One tablet contains:</p> <p>15 mg 160 mg 100 mg 50 mg 50 mg 1 mg</p> | <p>Additional Prostate Support*</p> <ul style="list-style-type: none"> • Provides nutritional support for healthy prostate function*¹⁻⁷ | <p>1. Costello LC, et al. The clinical relevance of the metabolism of prostate cancer; zinc and tumor suppression: connecting the dots. <i>Mol Cancer</i>. 2006 May 15;5(1):17.</p> <p>2. Goldmann WH, et al. Saw palmetto berry extract inhibits cell growth and Cox-2 expression in prostatic cancer cells. <i>Cell Biol Int</i>. 2001;25(11):1117-24.</p> <p>3. Zhang X, et al. Effect of the extracts of pumpkin seeds on the urodynamics of rabbits: an experimental study. <i>J Tongji Med Univ</i>. 1994;14(4):235-8.</p> <p>4. Barlet A, et al. Efficacy of Pygeum africanum extract in the medical therapy of urination disorders due to benign prostatic hyperplasia: evaluation of objective and subjective parameters. A placebo-controlled double-blind multicenter study. <i>Wien Klin Wochenschr</i>. 1990 Nov 23;102(22):667-73.</p> <p>5. Ishani A, et al. Pygeum africanum for the treatment of patients with benign prostatic hyperplasia: a systematic review and quantitative meta-analysis. <i>Am J Med</i>. 2000 Dec 1;109(8):654-64.</p> <p>6. Safarinejad MR. <i>Urtica dioica</i> for Treatment of Benign Prostatic HyperplasiaA Prospective, Randomized, Double-Blind, Placebo-Controlled, Crossover Study. <i>J Herb Pharmacother</i>. 2005;5(4):1-11.</p> <p>7. Kucuk O, et al. Phase II randomized clinical trial of lycopene supplementation before radical prostatectomy. <i>Cancer Epidemiol Biomarkers Prev</i>.2001;10:861-868.</p> |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Adult Men Over 50, Nutritional Foundation

Protocols

www.itiprotocols.integrativeinc.com

| Product & Ingredient | Dosage | Features | Reference |
|---|---|---|---|
| ProstaPro®* 78362 – 120 softgels Saw Palmetto (85-95% fatty acids, 0.2- 0.4% total sterols, and 0.1- .3% beta sitosterol) | Take two softgels daily. Each softgel contains: 160 mg | Prostate Support Alternative* | "Refer to saw palmetto reference above" |
| OsteoPrime® Ultra bone formula* 77712 – 120 tablets Vitamin D Vitamin K Calcium Phosphorus Magnesium Natto (fermented soybeans containing 45 mcg of Vitamin K2 as Menaquinone – 7) Trace Minerals: Copper Boron Strontium | Take Four tablets daily, during or after meals. Four tablets contain: 300 IU 300 mcg 600 mg 96 mg 250 mg 45 mg 2 mg 2 mg 1 mg | Bone Support* <ul style="list-style-type: none"> Phosphorus (when bound to calcium) supports healthy bone formation and soft tissue health^{*1,2} Research has demonstrated supplementation with vitamin D3 and calcium is associated with improved bone health^{*2} Magnesium provides nutritional support for the bones, especially those in the low back and knee joint^{*3} Clinical studies have shown that individuals taking Natto K2 (menaquinone) had much higher blood levels of vitamin K compared to those receiving vitamin K^{*4} Trace minerals, such as manganese, zinc, strontium, vitamin B6, vitamin C, silicon, copper and boron, aid in bone and connective tissue development^{*5} | <ol style="list-style-type: none"> Shapiro R, et al. Co-dependence of calcium and phosphorus for growth and bone development under conditions of varying deficiency. <i>Bone</i>. 2003 May;32(5):532-40. Heaney RP, et al. Calcium and vitamin D. <i>Endocrinol Metab Clin North Am</i>. 2003 Mar;32(1):181-04. Sojka JE, et al. Magnesium supplementation and osteoporosis. <i>Nutr Rev</i>. 1995 Mar;53(3):71-4. Kaneki M. Serum concentration of vitamin K in elderly women with involutional osteoporosis. <i>Nippon Ronen Igakkai Zasshi</i>. 1995 Mar;32(3):195-200. Schaafsma A, et al. Delay of natural bone loss by higher intakes of specific minerals and vitamins. <i>Crit Rev Food Sci Nutr</i>. 2001 May;41(4):225-49. |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Protocols

www.itiprotocols.integrativeinc.com

| Product & Ingredient | Dosage | Features | Reference |
|---|--|---|--|
| <p>Pros-Forte™ 276006 – 60 tablets</p> <p>Zinc Saw Palmetto (<i>Serenoa repens</i>) Pumpkin (<i>Cucurbita pepo</i>) Pygeum (<i>Pygeum african</i>) Stinging Nettle (<i>Urtica dioica</i>) Lycopene</p> | <p>Take 1 tablet twice daily. One tablet contains:</p> <p>15 mg 160 mg 100 mg 50 mg 50 mg 1 mg</p> | <p>Healthy Prostate Cell Support*</p> <ul style="list-style-type: none"> Provides nutritional support for healthy prostate cell growth and function*¹⁻⁷ | <ol style="list-style-type: none"> Costello LC, et al. The clinical relevance of the metabolism of prostate cancer; zinc and tumor suppression: connecting the dots. <i>Mol Cancer</i>. 2006 May 15;5(1):17. Goldmann WH, et al. Saw palmetto berry extract inhibits cell growth and Cox-2 expression in prostatic cancer cells. <i>Cell Biol Int</i>. 2001;25(11):1117-24. Zhang X, et al. Effect of the extracts of pumpkin seeds on the urodynamics of rabbits: an experimental study. <i>J Tongji Med Univ</i>. 1994;14(4):235-8. Barlet A, et al. Efficacy of Pygeum africanum extract in the medical therapy of urination disorders due to benign prostatic hyperplasia: evaluation of objective and subjective parameters. A placebo-controlled double-blind multicenter study. <i>Wien Klin Wochenschr</i>. 1990 Nov 23;102(22):667-73. Ishani A, et al. Pygeum africanum for the treatment of patients with benign prostatic hyperplasia: a systematic review and quantitative meta-analysis. <i>Am J Med</i>. 2000 Dec 1;109(8):654-64. Safarinejad MR. Urtica dioica for Treatment of Benign Prostatic HyperplasiaA Prospective, Randomized, Double-Blind, Placebo-Controlled, Crossover Study. <i>J Herb Pharmacother</i>. 2005;5(4):1-11. Kucuk O, et al. Phase II randomized clinical trial of lycopene supplementation before radical prostatectomy. <i>Cancer Epidemiol Biomarkers Prev</i>. 2001;10:861-868. |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Protocols

www.itiprotocols.integrativeinc.com

| Product & Ingredient | Dosage | Features | Reference |
|--|---|--|--|
| Healthy Cells™ Prostate* 15896 – 60 tablets Calcium D-Glucarate Green Tea (<i>Camellia sinensis</i>) Maitake (<i>Grifola frondosa</i>) Mushroom Lycopene | One tablet twice daily with meals. Each tablet contains: 200 mg 50 mg 55 mg 2.5 mg | Healthy Prostate Cell Support* <ul style="list-style-type: none"> Supports the development of healthy prostate cells^{*1-5} Helps maintain healthy testosterone levels^{*1-5} | <ol style="list-style-type: none"> Walaszek Z, et al. Metabolism, uptake, and excretion of a Dglucaric acid salt and its potential use in cancer prevention. <i>Cancer Detect Prev.</i> 1997;21:178-190.† Walaszek Z. Potential use of D-glucaric acid derivatives in cancer prevention. <i>Cancer Lett</i> 1990;54:1–8.† Gupta S, et al. Inhibition of prostate carcinogenesis in TRAMP mice by oral infusion of green tea polyphenols. <i>Proc Natl Acad Sci U S A.</i> 2001;98:10350-10355. Chung LY, et al. Induction of apoptosis by green tea catechins in human prostate cancer DU145 cells. <i>Life Sci.</i> 2001;68:1207-1214. Matsui K, et al. Effects of maitake (<i>Grifola frondosa</i>) D-Fraction on the carcinoma angiogenesis. <i>Cancer Lett.</i> 2001;172:193-198. |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Protocols

www.itiprotocols.integrativeinc.com

| Product & Ingredient | Dosage | Features | Reference |
|--|--|--|--|
| ITI® Man 276001 – 60 capsules Maca (<i>Lepidium meyenii</i>) (0.6% macaenes & macamides) Yohimbine (<i>Pausinystalia yohimbe</i>) (4% yohimbines) Rhodiola (<i>Rhodiola rosea</i>) (3% rosavins, 1% salidroside) Horny Goat Weed (<i>Epimedium sagittatum</i>) (10% flavonoids as icariin) Panax Ginseng (7% ginsenosides) Tongkat Ali | Take 2 capsules daily with meals. Two capsules contain: 400 mg 200 mg 150 mg 100 mg 100 mg 50 mg | <ul style="list-style-type: none"> • Maca supports energy levels and encourages production of sex hormones¹ • Yohimbe supports microvascular health in men* Also associated male sexual function² • Rhodiola supports male sexual health* An open study noted substantially improved support of sexual function, after three months of daily use³ • Horny goat weed has been found to have natural compounds that have androgenic/anti-estrogenic properties* Androgens promote physical vigor and increased libido in both men and women⁴ • In a double-blind, placebo-controlled crossover study, 60% of male patients using panax ginseng reported support for sexual function over the placebo group⁵ • Tongkat ali supports healthy male sexual drive through adaptogenic properties⁶ | <ol style="list-style-type: none"> 1. Zheng BL, et al. Effect of a lipidic extract from lepidium meyenii on sexual behavior in mice and rats. <i>Urology</i>. 2000;55:598-602. 2. Riley AJ. Yohimbine in the treatment of erectile disorder. <i>Br J Clin Pract</i>. 1994;48:133-136. 3. Saratikov AS, et al. Chapter III and Chapter VIII: Clinical studies of rhodiola. In: <i>Rhodiola rosea is a valuable medicinal plant (golden root)</i>. Tomsk, Russia: Tomsk State University Press; 1987.P.69-90;216-27. 4. Kuang AK, et al. <i>Zhong Xi Yi Jie He Za Zhi</i>. 1989;9:737-738. 5. Hong B, et al. A double-blind crossover study evaluating the efficacy of korean red ginseng in patients with erectile dysfunction: a preliminary report. <i>J Urol</i>. 2002;168:2070-3. 6. Ang HH, et al. Eurycoma longifolia increases sexual motivation in sexually naïve male rats. <i>Arch Pharm Res</i>. 1998;21:779-81. |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Protocols

www.itiprotocols.integrativeinc.com

| Product & Ingredient | Dosage | Features | Reference |
|---|--|---|---|
| <p>Indoplex® 286006 – 30 UltraCaps™ 286002 – 60 UltraCaps</p> <p>Stable, Bioavailable Diindolylmethane (DIM), co-solubilized with vitamin E and phosphatidylcholine, for enhanced absorption and bioavailability</p> <p><i>Indoplex® and DIM® are trademarks of and is licensed from BioResponse, L.L.C., U.S. Patent 6,086,915.</i></p> | <p>Take 2 UltraCaps once daily. Take with food. 2 UltraCaps contain:</p> <p>30 mg</p> | <p>Estrogen Balance*</p> <ul style="list-style-type: none"> Supports healthy estrogen metabolism^{*1,2} | <ol style="list-style-type: none"> Zeligs MA. Safer estrogen with phytonutrition. <i>Towns Lett.</i> 1999;189:83-88.† Le HT, Schaldach CM, Firestone GL, et al Plant-derived 3,3'-Diindolylmethane is a strong androgen antagonist in human prostate cancer cells. <i>J Biol Chem.</i> 2003 Jun 6;278(23):21136-45. |
| <p>Calcium D-Glucarate 146006 – 90 UltraCaps</p> <p>Calcium D-Glucarate</p> <p><i>Calcium D-Glucarate licensed from Applied Food Sciences, LLC.</i></p> | <p>Take 1 to 3 UltraCaps three times daily with meals. Three ultraCaps contain:</p> <p>1.5 g</p> | <p>Estrogen Detoxification*</p> <ul style="list-style-type: none"> Supports detoxification by increasing elimination of estrogens via Phase II glucuronidation pathways^{*1} | <ol style="list-style-type: none"> Walaszek Z, et al. Metabolism, uptake, and excretion of a D-glucaric acid salt and its potential use in cancer prevention. <i>Cancer Detect Prev.</i> 1997;21(2):178-90.† |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Protocols

www.itiprotocols.integrativeinc.com

| Product & Ingredient | Dosage | Features | Reference |
|--|---|--|--|
| SUPPORT FOR BLADDER HEALTH | | | |
| Nettle-Pygeum Complex 78006 – 60 softgels Stinging Nettle (<i>Urtica dioica</i>) Pumpkin (<i>Cucurbita pepo</i>) Pygeum (<i>Pygeum africanum</i>) | Take one softgel in the morning and one in the evening. May be taken as two softgels once daily. Two softgels contain: 900 mg 525 mg 100 mg | <ul style="list-style-type: none"> Supports bladder strength and prostate health^{*1-4} | <ol style="list-style-type: none"> Gerber GS, et al. Saw palmetto (Serenoa repens) in men with lower urinary tract symptoms: effects on urodynamic parameters and voiding symptoms. <i>Urology</i>. 1998 Jun;51(6):1003-7. Zhang X, et al. Effect of the extracts of pumpkin seeds on the urodynamics of rabbits: an experimental study. <i>J Tongji Med Univ</i>. 1994;14(4):235-8. Barlet A, et al. Efficacy of Pygeum africanum extract in the medical therapy of urination disorders due to benign prostatic hyperplasia: evaluation of objective and subjective parameters. A placebo-controlled double-blind multicenter study. <i>Wien Klin Wochenschr</i>. 1990 Nov 23;102(22):667-73. Ishani A, et al. Pygeum africanum for the treatment of patients with benign prostatic hyperplasia: a systematic review and quantitative meta-analysis. <i>Am J Med</i>. 2000 Dec 1;109(8):654-64. |
| SUPPORT FOR CONNECTIVE TISSUE | | | |
| Cold Sore Relief™ 09740 – .18 oz. tube Allantoin (1%) | Topical. Apply liberally 2 – 4 times daily at the first sign of cold sore or fever blister. | Over-the-counter (OTC) <ul style="list-style-type: none"> Allantoin relieves pain and promotes healing of cold sores¹ Relieves dryness and softens cold sores and fever blisters. Softens scabs associated with cold sores and fever blisters | <ol style="list-style-type: none"> Code of Federal Regulations, Title 21, Volume 5, April 1, 2004. Part 310, Subpart E, Section 310.534. Drug products containing active ingredients offered over-the-counter (OTC) for human use as oral wound healing agents. |
| Thymuril®* 73995 – 50 capsules 73985 – 50 tablets Lysine <i>Echinacea purpurea</i> | Take 4 capsules daily or 2 tablets daily. Four capsules or two tablets contain: 250 mg daily 300 mg daily | <ul style="list-style-type: none"> Provides vitamins and minerals essential for proper immune function^{*1,2} | <ol style="list-style-type: none"> Walsh DE, et al. Subjective response to lysine in the therapy of herpes simplex. <i>J Antimicrob Chemother</i>. 1983 Nov;12(5):489-96. Binns SE, et al. Antiviral activity of characterized extracts of <i>Echinacea</i> spp. (<i>Heliantheae</i>: <i>Asteraceae</i>) against herpes simplex virus (HSV-1). <i>Planta Med</i>. 2002 SP;68(9):780-3. |

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.